


WE CLAIM:

1. A compound having Formula I



Formula I


5

where R is selected from the group consisting of hydrogen and lower aliphatic.

2. The compound according to claim 1 where R is lower alkyl.


10 3. The compound according to claim 1 where R is methyl.

4. The compound according to claim 1 where the compound is




5. A method for treating a subject, comprising:  
providing a compound having Formula II

5



**Formula II**


where R<sub>1</sub> is selected from the group consisting of hydrogen and lower aliphatic, and R<sub>2</sub> is selected from the group consisting of -CH<sub>2</sub>COCH<sub>3</sub> and



; and


5 administering an effective amount of the compound to the subject.

6. The method according to claim 5 where R<sub>2</sub> is




10


7. The method according to claim 5 where the compound is



8. The method according to claim 5 where the compound is



9. The method according to claim 5 where the subject is a mammal.
10. The method according to claim 5 where the subject is a human.
- 5 11. The method according to claim 5 where the effective amount is from about 0.1 mg/kg body weight per day, to about 200 mg/kg body weight per day, in single or divided doses.
12. The method according to claim 5 where administering comprises administering  
10 the compound topically, orally, intramuscularly, intranasally, subcutaneously, intraperitoneally, intravenously, or combinations thereof.
13. The method according to claim 5 where the compound is administered as a pharmaceutical composition.
- 15 14. A pharmaceutical composition comprising an effective amount of a compound having Formula 1



where  $\text{R}$  is selected from the group consisting of hydrogen and lower aliphatic.

15. The composition according to claim 14 where  $\text{R}$  is lower alkyl.

5

16. The composition according to claim 14 where the compound is

